

Monthly Monitoring Data

Environmental Protection Licence Number: 12693

Licensee: Newcastle Coal Infrastructure Group Pty Ltd, Locked Bag 6003, Hunter Region Mail Centre NSW 2310

Premises: Newcastle Coal Infrastructure Group, Cormorant Road, Kooragang NSW 2304

Date Published: 9th January 2014

Depositional Dust Monitoring

Sample Period: 2nd December – 2nd January 2014

Date Obtained: 7th January 2014

Units of Measure: grams per square metre per month (g/m²/month)

Frequency: Monthly

	Monitoring Point 7 - DG3 (Kooragang Island)	Monitoring Point 8 - DG4 (Mayfield Sport Rec Club)	Monitoring Point 9 - DG5 (Mayfield West)	Monitoring Point 10 - DG6 (Sandgate)
Depositional Dust	4.5	*7.3	1.8	2.2

* Results due to adjacent construction works

High Volume Air Sampling

Units of measure: micrograms per cubic metre (µg/m³)

Frequency: Weekly

	Monitoring Point 14 - HVAS 1 (Steel River) (obtained 14 th January 2014)		Monitoring Point 15 - HVAS 2 (Mayfield Sport Rec Club) (Obtained 7 th January 2014)	
	TSP	PM10	TSP	PM10
5-Dec	45	17	190*	145*#
11-Dec	65	32	525*	NR
17-Dec	51	21	220*	44
23-Dec	74	30	145*	42
29-Dec	57	30	140*	40

*High results due to adjacent construction works

#Sample run on 6/12 due to error on the 5/12

NB. Sample period is a 24 hour period on each of the above dates | TSP = Total Suspended Particulates | PM10 = Particulate Matter <10 microns

Groundwater Sampling Point 1**Sample Date:** 2nd December 2013**Units of Measure:** pH units; milligrams per litre (mg/L); microSiemens per centimetre ($\mu\text{S}/\text{cm}$); micrograms per litre ($\mu\text{g}/\text{L}$)

Pollutant	Units of Measure	Frequency	Recorded Value
pH	pH units	Every 6 Months	7.95
Conductivity	$\mu\text{S}/\text{cm}$	Every 6 Months	9900
Cobalt	mg/L	Every 6 Months	<0.001
Copper	mg/L	Every 6 Months	<0.001
Manganese	mg/L	Every 6 Months	0.132
Nickel	mg/L	Every 6 Months	0.001
Zinc	mg/L	Every 6 Months	0.038
Iron	mg/L	Every 6 Months	<0.05
Magnesium	mg/L	Every 6 Months	119
Sodium	mg/L	Every 6 Months	1920
Potassium	mg/L	Every 6 Months	114
Total PAHs	$\mu\text{g}/\text{L}$	Every 6 Months	<1
TPH C6-9 Fraction	$\mu\text{g}/\text{L}$	Every 6 Months	<20
TPH C10-14 Fraction	$\mu\text{g}/\text{L}$	Every 6 Months	<50
TPH C15-28 Fraction	$\mu\text{g}/\text{L}$	Every 6 Months	<100
TPH C29-36 Fraction	$\mu\text{g}/\text{L}$	Every 6 Months	<50
Benzene	$\mu\text{g}/\text{L}$	Every 6 Months	<1
Toluene	$\mu\text{g}/\text{L}$	Every 6 Months	<2
Ethyl Benzene	$\mu\text{g}/\text{L}$	Every 6 Months	<2
m+p Xylene	$\mu\text{g}/\text{L}$	Every 6 Months	<2
o Xylene	$\mu\text{g}/\text{L}$	Every 6 Months	<2
Cyanide (free)	$\mu\text{g}/\text{L}$	Every 6 Months	<4
Cyanide (total)	$\mu\text{g}/\text{L}$	Every 6 Months	<4
Ammonia	$\mu\text{g}/\text{L}$	Every 6 Months	470
Phenol	$\mu\text{g}/\text{L}$	Every 6 Months	<1



Groundwater Sampling Point 20**Sample Date:** 2nd December 2013**Units of Measure:** pH units; microSiemens per centimetre ($\mu\text{S}/\text{cm}$), micrograms per litre ($\mu\text{g}/\text{L}$).

Pollutant	Units of Measure	Frequency	Recorded Value	EP Licence Trigger Level	Exceedance (yes/no)
pH	pH units	Every 6 Months	7.77	N/A	N/A
Conductivity	$\mu\text{S}/\text{cm}$	Every 6 Months	6560	N/A	N/A
Ammonia	$\mu\text{g}/\text{L}$	Every 6 Months	510	N/A	N/A
Benzene	$\mu\text{g}/\text{L}$	Every 6 Months	<1	700	No
Ethyl Benzene	$\mu\text{g}/\text{L}$	Every 6 Months	<2	5	No
m+p Xylene	$\mu\text{g}/\text{L}$	Every 6 Months	<2	75	No
o Xylene	$\mu\text{g}/\text{L}$	Every 6 Months	<2	350	No
Cyanide (free)	$\mu\text{g}/\text{L}$	Every 6 Months	<4	4	No
Cyanide (total)	$\mu\text{g}/\text{L}$	Every 6 Months	<4	81.1	No
Phenol	$\mu\text{g}/\text{L}$	Every 6 Months	<1	400	No
Toluene	$\mu\text{g}/\text{L}$	Every 6 Months	<2	180	No
Total PAHs	$\mu\text{g}/\text{L}$	Every 6 Months	<1	1	No
TPH C6-9 Fraction	$\mu\text{g}/\text{L}$	Every 6 Months	<20	20	No
TPH C10-14 Fraction	$\mu\text{g}/\text{L}$	Every 6 Months	<50	50	No
TPH C15-28 Fraction	$\mu\text{g}/\text{L}$	Every 6 Months	<100	100	No
TPH C29-36 Fraction	$\mu\text{g}/\text{L}$	Every 6 Months	<50	50	No

Note: If trigger level is exceeded, actions listed in Condition E1.2 of EPL12693 are to be followed. These actions include notifying the EPA and resampling the location to confirm the elevated concentration.



Groundwater Sampling Point 21**Sample Date:** 2nd December 2013**Units of Measure:** pH units; microSiemens per centimetre ($\mu\text{S}/\text{cm}$), micrograms per litre ($\mu\text{g}/\text{L}$).

Pollutant	Units of Measure	Frequency	Recorded Value	EP Licence Trigger Level	Exceedance (yes/no)
pH	pH units	Every 6 Months	7.89	N/A	N/A
Conductivity	$\mu\text{S}/\text{cm}$	Every 6 Months	7520	N/A	N/A
Ammonia	$\mu\text{g}/\text{L}$	Every 6 Months	1170	N/A	N/A
Benzene	$\mu\text{g}/\text{L}$	Every 6 Months	<1	700	No
Ethyl Benzene	$\mu\text{g}/\text{L}$	Every 6 Months	<2	5	No
m+p Xylene	$\mu\text{g}/\text{L}$	Every 6 Months	<2	75	No
o Xylene	$\mu\text{g}/\text{L}$	Every 6 Months	<2	350	No
Cyanide (free)	$\mu\text{g}/\text{L}$	Every 6 Months	<4	4	No
Cyanide (total)	$\mu\text{g}/\text{L}$	Every 6 Months	<4	21.8	No
Phenol	$\mu\text{g}/\text{L}$	Every 6 Months	<1	400	No
Toluene	$\mu\text{g}/\text{L}$	Every 6 Months	<2	180	No
Total PAHs	$\mu\text{g}/\text{L}$	Every 6 Months	<1	1.1	No
TPH C6-9 Fraction	$\mu\text{g}/\text{L}$	Every 6 Months	<20	20	No
TPH C10-14 Fraction	$\mu\text{g}/\text{L}$	Every 6 Months	<50	50	No
TPH C15-28 Fraction	$\mu\text{g}/\text{L}$	Every 6 Months	<100	100	No
TPH C29-36 Fraction	$\mu\text{g}/\text{L}$	Every 6 Months	<50	50	No

Note: If trigger level is exceeded, actions listed in Condition E1.2 of EPL12693 are to be followed. These actions include notifying the EPA and resampling the location to confirm the elevated concentration.



Groundwater Sampling Point 22**Sample Date:** 2nd December 2013**Units of Measure:** pH units; microSiemens per centimetre ($\mu\text{S}/\text{cm}$), micrograms per litre ($\mu\text{g}/\text{L}$).

Pollutant	Units of Measure	Frequency	Recorded Value	EP Licence Trigger Level	Exceedance (Yes/No)
pH	pH units	Every 6 Months	8.25	N/A	N/A
Conductivity	$\mu\text{S}/\text{cm}$	Every 6 Months	879	N/A	N/A
Ammonia	$\mu\text{g}/\text{L}$	Every 6 Months	250	N/A	N/A
Benzene	$\mu\text{g}/\text{L}$	Every 6 Months	<1	700	No
Ethyl Benzene	$\mu\text{g}/\text{L}$	Every 6 Months	<2	5	No
m+p Xylene	$\mu\text{g}/\text{L}$	Every 6 Months	<2	75	No
o Xylene	$\mu\text{g}/\text{L}$	Every 6 Months	<2	350	No
Cyanide (free)	$\mu\text{g}/\text{L}$	Every 6 Months	<4	4	No
Cyanide (total)	$\mu\text{g}/\text{L}$	Every 6 Months	<4	16.6	No
Phenol	$\mu\text{g}/\text{L}$	Every 6 Months	<1	400	No
Toluene	$\mu\text{g}/\text{L}$	Every 6 Months	<2	180	No
Total PAHs	$\mu\text{g}/\text{L}$	Every 6 Months	<1	2.2	No
TPH C6-9 Fraction	$\mu\text{g}/\text{L}$	Every 6 Months	<20	20	No
TPH C10-14 Fraction	$\mu\text{g}/\text{L}$	Every 6 Months	130	50	Yes
TPH C15-28 Fraction	$\mu\text{g}/\text{L}$	Every 6 Months	<100	100	No
TPH C29-36 Fraction	$\mu\text{g}/\text{L}$	Every 6 Months	<50	50	No

Note: If trigger level is exceeded, actions listed in Condition E1.2 of EPL12693 are to be followed. These actions include notifying the EPA and resampling the location to confirm the elevated concentration.



Groundwater Sampling Point 23**Sample Date:** 2nd December 2013**Units of Measure:** pH units; milligrams per litre (mg/L); microSiemens per centimetre ($\mu\text{S}/\text{cm}$), micrograms per litre ($\mu\text{g}/\text{L}$).

Pollutant	Units of Measure	Frequency	Recorded Value	EP Licence Trigger Level	Exceedance (Yes/No)
pH	pH units	Every 6 Months	7.8	N/A	N/A
Conductivity	$\mu\text{S}/\text{cm}$	Every 6 Months	12490	N/A	N/A
Ammonia	$\mu\text{g}/\text{L}$	Every 6 Months	5840	N/A	N/A
Benzene	$\mu\text{g}/\text{L}$	Every 6 Months	<1	700	No
Ethyl Benzene	$\mu\text{g}/\text{L}$	Every 6 Months	<2	5	No
m+p Xylene	$\mu\text{g}/\text{L}$	Every 6 Months	<2	75	No
o Xylene	$\mu\text{g}/\text{L}$	Every 6 Months	<2	350	No
Cyanide (free)	$\mu\text{g}/\text{L}$	Every 6 Months	<4	4	No
Cyanide (total)	$\mu\text{g}/\text{L}$	Every 6 Months	<4	75.6	No
Phenol	$\mu\text{g}/\text{L}$	Every 6 Months	<1	400	No
Toluene	$\mu\text{g}/\text{L}$	Every 6 Months	<2	180	No
Total PAHs	$\mu\text{g}/\text{L}$	Every 6 Months	<1	1.5	No
TPH C6-9 Fraction	$\mu\text{g}/\text{L}$	Every 6 Months	<20	20	No
TPH C10-14 Fraction	$\mu\text{g}/\text{L}$	Every 6 Months	<50	50	No
TPH C15-28 Fraction	$\mu\text{g}/\text{L}$	Every 6 Months	<100	100	No
TPH C29-36 Fraction	$\mu\text{g}/\text{L}$	Every 6 Months	<50	50	No

Note: If trigger level is exceeded, actions listed in Condition E1.2 of EPL12693 are to be followed. These actions include notifying the EPA and resampling the location to confirm the elevated concentration.

